



**SASPG**

2018



SICHUAN AIR SEPARATION PLANT (GROUP) CO., LTD.

	.....	1
	.....	1
	.....	2
	.....	3
	.....	10
	.....	10
	.....	10
( )	.....	10
( )	.....	11
1.	.....	11
2	.....	11
3	.....	12
4	.....	13
( )	.....	13
1.	.....	13
2	.....	16
	.....	16
( )	.....	16
( )	.....	17
( )	.....	17
1.	.....	18
2	.....	18
3	.....	18
	.....	18
( )	.....	18
( )	.....	20
( )	.....	21
( )	.....	25
	.....	25
( )	.....	25
( )	.....	25
( )	.....	26
( )	.....	28
	.....	33
	.....	34
	.....	35



2018 01 —2018 12



[http //www saspg .com](http://www.saspg.com)

“

”

“

”



一切为了人民  
一切为了发展  
李洪

1966  
“ ”  
80  
30  
53 53  
2018 20  
21 7

LNG



2x52000Nm<sup>3</sup>/h



480T/d




15000Nm<sup>3</sup>/h




45  $10^4 \text{ Nm}^3/\text{d}$  LPG



200  $10^4 \text{ Nm}^3/\text{d}$



100  $10^4 \text{ Nm}^3/\text{d}$



50  $10^4 \text{ Nm}^3/\text{d}$






30000m<sup>3</sup> LNG



LNG



80m<sup>3</sup>



56m<sup>3</sup> LNG



8.5m<sup>3</sup> 35MPa



120m<sup>3</sup>

A1 A2 C2 C3

A1 A2 B4(1)(2) C2

ASME

U


U2

CE


GB/T 19001




10










12m



160





JF

“ ”

200 1500

“ ”

30

239

641499

028-23186011

028-27016546

<http://www.saspg.com>

GB/T 19001

300  
100

“ ” “ ”

“

”

1% 1‰ …… 100%

1% 1‰ ……

100%

“ ”

QC

“ ”

“ ”

1997

“ ”

2006

“ AAA ”

“ ” “ ”

”

“ ”





GB/T 19001

1.

“

”

“

”

2

“

”

2018

2022

88

10

80000m<sup>3</sup>LNG

50000m<sup>3</sup>

LNG

0.10%

0.20%

0.10%

2018

92.28

88

0.07%

0.10%

0.14%

0.20%

0.05%

0.10%

PT806

PN25 DN400

60000

3

GB/T 19001

“ ”

4

GB/T 19001

2016

38

27

TSG R1001

40

TSG Z0004

18

28

1.





”

“

”

“

“

”





“ ”



“ ”



” “

2

48

72

8  
24

8

“ ” “ ”

◆

◆

“

”

◆

◆

◆

◆

◆

◆

“ ”

◆

◆

“

”

“

”

“

”

1

2016 4

B2B

“

”

2

30

3

HKG214



ASME      API

36

GB 24159

- 2009

1999

1			GB/T 36227-2018	
2			GB/T 36489-2018	
3	2		GB/T 18443.2-2010	
4	6		GB/T 18443.6-2010	
5			GB/T 24918-2010	
6			GB 24159-2009	
7			NB/T47006-2009 JB/T4757	
8			JB/T4783-2007	
9			JB/T4784-2007	
10			JB/T 6894-2000	
11			JB/T6428-2000	
12			JB/T6897-2000	
13			JB/T 5905-2000	
14			JB/T9072-1999	
15			JB/T9078.1-1999	
16			JB/T9078.2-1999	
17			JB/T53140-1999	

2013

2015

3

2016

“

”

2017

2018



( )


7

1990



1986 1987 A  
 C2 A1 A2  
 C3 A1 A2 B4(1)  
 B4(2) ( LNG C2 1998 CC1  
 2006 GC2 2009 GC1  
 2003  
 3C 2004 3C  
 ASME U U2 1990  
 PED MD LVD 2006  
 ATEX 106 CE  
 1996 GB/T  
 19001  
 2019 GB/T 19001 GB/T 24001  
 ISO45001





3C



GB/T 19001







GB/T 24001



ISO45001



ASME



ASME



CE

MD



CE

PED

9

65

22

“

”

“

”

“

”

API

ISO

ASME

”

QC

“

“

”

“

”

“

”



ISO15001

GB/T 14001

“

”

“

”

6 500

80%

1.8





1.3

“

”

“

”



“ ”

“ ”



“

”

1800

“

”

6

“

”



“



”




1991	50 /	
2017 2019		
2019		
2019		
2018		
2018	200 “ 40 ” LNG	
2018		
2018		
2000		

2000	2004	“ ”	
2016			
2003			
2004			
2006	2014	AAA	
2006			
2006			
2007	2015		
2018			
2012			
2018		50	
2013	2015		
2017	2019	“ 2017 ”	
2015			
2018			
2018			
2016	2018		
















“

”

“

”

“

”

“

”

GB/T 31870-2015

GB/T 29467-2012

GB/T 19580-2012

		5.2	P1
			P2
			P3
		5.3	P10
		5.4	P10
	( )	5.4.2	P10
	( )	5.4.3	P11
	1.		P11
	2		P11
	3		P12
	4		P13
	( )	5.4.4	P13
	1.		P13
	2		P16
		5.5	P16
	( )	5.5.2	P16
	( )	5.5.3	P17
	( )	5.5.4	P17
	1.		P18
	2		P18
	3		P18
		5.6	P18
	( )	5.6.2	P18
	( )	5.6.3	P20
	( )	5.6.4	P21
	( )	5.6.5	P25
		5.7	P25
	( )	5.7.2	P25
	( )	5.7.3	P25
	( )	5.7.4	P26
	( )	5.7.5	P28
		5.8	P34
			P35



239

641499

jtgl@saspg.com    zg@saspg.com

028-23186011    028-23186285

028-27016546

<http://www.saspg.com>